

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S72 and (defin\$ with trust\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 18:41
		S72 and sign\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 16:53
		S16 and stor\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 14:30
		S18 and (is with not with logged)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:15
		S18 and (not with logg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:12
		S18 and (not with log\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:12
		S18 and (not with logg\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:11
		S10 and log\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 16:58
L1	1	(US-6651168-\$).did.	USPAT	OR	OFF	2008/01/31 14:48
L2	1	1 and authent\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/31 14:49

EAST Search History

L3	1	1 and (authent\$6 with (log\$4 or sign\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/31 14:49
L4	1	1 and (interface with (log\$4 or sign\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/31 15:25
S1	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/04/06 12:07
S2	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 11:31
S3	1	S2 and credential	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 11:31
S4	1	S2 and credential	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 12:54
S5	643	(credential with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 12:55
S6	9	(translat\$3 with credential with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 12:55
S7	9	S6 and (authentikat\$4 or authorizat\$4 or validat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 16:58
S8	0	("6807636").URPN.	USPAT	OR	OFF	2006/06/06 13:06
S9	0	("6807636").URPN.	USPAT	OR	OFF	2006/06/06 13:06
S10	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2006/06/06 16:58

EAST Search History

S11	1	S10 and logg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:17
S12	0	S10 and "log on"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:17
S13	0	S10 and "log in"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:18
S14	0	S10 and "login"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:18
S15	0	S10 and "logon"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:18
S16	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2006/06/07 08:55
S17	1	S16 and "sign-on"	US-PGPUB	OR	ON	2006/06/07 08:56
S18	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/07 10:04
S19	0	S18 and "not logged"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:11
S20	0	S18 and ("not" with logg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:14
S21	0	S18 and "is not logged"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:15

EAST Search History

S22	0	S18 and (is with "not" with logged)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:16
S23	0	S18 and "not"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:16
S24	0	S18 and "is not"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:16
S25	1	S18 and (logon or logged or logging)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:01
S26	0	S18 and ("the user is not logged on")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:02
S27	0	S18 and "the user is not logged on"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:03
S28	0	S18 and "not"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:04
S29	1	S18 and Isa	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:18
S30	0	S16 and (Isa or sam or ad or kdc)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:19
S31	1	Isa and sam and ad and kdc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:20

EAST Search History

S32	166	Isa and sam	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:21
S33	119	S32 and ad	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:22
S34	63	S33 and authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:23
S35	63	S34 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:23
S36	1	S34 and "token protocol"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:23
S37	63	S34 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:23
S38	2	S37 and credential	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:24
S39	62	S37 and translat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 13:04
S40	1	S39 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:25
S41	5	"local security authority" and "security accounts manager"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 13:06

EAST Search History

S42	2	S41 and "active directory"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 13:08
S43	2	S42 and (kdc or "kerberos distribution center")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 14:30
S44	1	S43 and token	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 14:17
S45	0	S16 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 14:30
S46	1	S16 and (store or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 15:38
S47	1	S16 and ((local or remote) same (store or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 15:39
S48	1	S16 and (local or remote) and (store or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 15:49
S49	0	S16 and (response with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 15:50
S50	1	S16 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:02
S51	1	S16 and (token with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:02

EAST Search History

S52	1	("20040139355").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/07 16:37
S53	0	S52 and translat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:42
S54	0	S52 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:42
S55	0	S16 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:42
S56	1	S18 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:42
S57	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2006/06/08 09:50
S58	1	S57 and translat\$4	US-PGPUB	OR	ON	2006/06/08 09:51
S59	0	S57 and (translat\$4 with input\$4)	US-PGPUB	OR	ON	2006/06/08 09:51
S60	0	S57 and (translat\$4 same input\$4)	US-PGPUB	OR	ON	2006/06/08 09:51
S61	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2006/06/08 13:07
S62	0	S61 and rpc	US-PGPUB	OR	ON	2006/06/08 13:08
S63	0	S61 and (("sign-on" or logon) same interface)	US-PGPUB	OR	ON	2006/06/08 13:11
S64	1	S61 and (("sign-on" or log\$4) same interface)	US-PGPUB	OR	ON	2006/06/08 13:12
S65	1	S61 and interface	US-PGPUB	OR	ON	2006/06/08 13:44
S66	1	S61 and remot\$3	US-PGPUB	OR	ON	2006/06/08 13:54
S67	0	S61 and (deferr\$3 or delay\$3)	US-PGPUB	OR	ON	2006/06/08 13:54
S68	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 14:15

EAST Search History

S69	0	S68 and "not logged"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/08 14:17
S70	0	S68 and ("not" with logged)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/08 14:18
S71	1	S68 and logged	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/08 14:18
S72	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/15 16:53
S73	0	S72 and (sign\$4 with on)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 16:54
S74	0	S72 and (sign or signed or signing)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 16:54
S75	1	S72 and (multiple with way)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 16:57
S76	0	S72 and "one of a plurality"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 16:57
S77	1	S72 and "plurality"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 18:40
S78	0	S72 and "trust"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 18:40

EAST Search History

S79	0	S72 and trust\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 18:41
S80	0	S72 and (defin\$3 with trust\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 18:42
S81	0	S72 and trust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 19:22
S82	0	S72 and "not logged"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 19:22
S83	1	(US-6807636-\$).did.	USPAT	OR	OFF	2007/05/29 18:38
S84	1	S83 and (input with device)	USPAT	OR	ON	2007/05/29 18:45
S85	1	("6609198").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 18:45
S86	1	("6651168").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 19:01
S87	1	("20040039909").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 19:01
S88	1	S86 and (input with device)	USPAT	OR	ON	2007/05/29 19:00
S89	0	S87 and (input with device)	USPAT	OR	ON	2007/05/29 19:01
S90	0	S87 and (input with device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 19:01
S91	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2007/05/30 14:10

EAST Search History

S92	0	S91 and (input with device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 14:10
S93	0	S91 and input\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 14:11
S94	0	S91 and input\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 14:16
S95	1	("6651168").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 14:42
S96	0	S95 and (sam or ad or kdc or lsa)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/30 14:43
S97	1	("6651168").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/10/10 12:19
S98	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2007/10/10 12:24
S99	2	S97 S98	US-PGPUB; USPAT	OR	ON	2007/10/10 12:24
S10 0	1	S99 and api	US-PGPUB; USPAT	OR	ON	2007/10/10 12:28
S10 1	2	S99 and ((user with interface) or UI)	US-PGPUB; USPAT	OR	ON	2007/10/10 12:28
S10 2	3	(US-20030177388-\$).did. or (US-6651168-\$ or US-6807636-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/01/28 13:44
S10 3	2	S102 and api	US-PGPUB; USPAT	OR	OFF	2008/01/28 13:44
S10 4	2	S102 and api	US-PGPUB; USPAT	OR	ON	2008/01/28 13:44
S10 5	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2008/01/28 15:07

EAST Search History

S106	1	S105 and translats4	US-PGPUB; USPAT	OR	ON	2008/01/28 14:29
S107	1	S105 and (translats4 with credential)	US-PGPUB; USPAT	OR	ON	2008/01/28 14:29
S108	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/01/28 16:33
S109	1	S108 and (loggs3 with credentials)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/01/28 15:46
S110	0	S102 and UI	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/28 15:46
S111	1	(US-6651168-\$).did.	USPAT	OR	OFF	2008/01/28 16:04
S112	1	S111 and (login or logon or sig\$1on or loggs3)	US-PGPUB; USPAT	OR	ON	2008/01/28 16:17
S113	0	S112 and translats3	US-PGPUB; USPAT	OR	ON	2008/01/28 16:17
S114	0	S112 and (common with api)	US-PGPUB; USPAT	OR	ON	2008/01/28 16:19
S115	14	common with credential with protocol	US-PGPUB; USPAT	OR	ON	2008/01/28 16:19
S116	5	S115 and api	US-PGPUB; USPAT	OR	ON	2008/01/28 16:25
S117	5	S116 and translats3	US-PGPUB; USPAT	OR	ON	2008/01/28 16:20
S118	2	S117 and @ad<"20031024"	US-PGPUB; USPAT	OR	ON	2008/01/28 16:21
S119	1	S108 and native	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/01/28 16:33